

1. Äèëåå çàéääèòå á ïàïéó ñ Ì è çàïóñòèòå ôàéé Setup_IP.exe.

2. Å ïÿâèâøáïñÿ îéíå íàæìèòå éíííéó "Äèëåå".

3. Åúååðèòå ïàïéó äëÿ óñòàííâèè èèè ïñòååüòå åñå ïí óíë÷àíèþ, íàæìèòå éíííéó "Äèëåå".

4. Íàæìèòå éíííéó "Äèëåå".

5. Å ïÿâèâøáïñÿ îéíå íàæìèòå éíííéó "Óñòàííâèòü".

6. ïÿâèòñÿ îéíí ñ ïðååóíðæååíèè. Íàæìèòå éíííéó "Åñå ðååíí ïðíàíèæèòü".

7. Ìí çàââðåáíèð óñòàííâèè íàæìèòà éíííéó "Çàââðøèòü".

8. Çàíóñòèòñý ïðíãðàìà TBS IP (áñèè íà çàíóñòèèàñü, çàíóñòèòà á, ñàìñòòíðòàèüíí). Áí àèèàèà "Tuner Setting" íàæìèòà íà éíííéó "New".

9. Áââàèòà ïàðàìàòòü òðàííííãðà àëý ààííãí ñíóòíèèà. Frequency 11507 ÌÃö, SymbolRate 7000 KSps. Polarity - Vertical. LNBLow - 9750 ÌÃö, LNBHi - 10600 ÌÃö. Íñòàâüòà ãàèí÷-éó 22É Auto, LNBPow - Power On, Diseqc - Diseqc NULL. Íàæìèòà éíííéó "Lock TP". Èàðòà ïíèàæàò ñèãíàè. ×óíáú ïðè çàíóñèà ïíãðàèèííé ñèñòàíü ïðíãðàìà ïí óíðàâèèèè èàðòíé çããðåàèàñü ààòíàòè÷-áñèè - ïñòàâüòà ãàèí÷-éó "Start and hide". Íàæìèòà éíííéó "Save".

10. Á ïíýàèâáíñý íèíá àââàèòà íàçâàíèà ñíóòíèèà, íàæìèòà éíííéó "Íè".

11. Âî ãëããã MAC Filter ïñòãããã ããë÷-ëó íà Manual è ãããããã ìãã ããããñ ãã-ëñãííúé èç IP ïãíëñë. Íãìèòã éííëó Save.

12. Âíããããã ãí ãëãããëó "IP Over DVB". Â íëíã PID value ãããããã Æã ìëã ïãíëñë. Æãããããã ããí ã ããñÿò÷íí ãëãã, íãìèòã éííëó "Insert Pid".

13. Æã ìëã ïÿãëòñÿ á ñíëñã.

Ñ óãããããã Æããããã-Éíòãóãã.

© Íãããããã
íñíãíã áíëíãíãã éíëããã, éííëóããííã è ïñüçíãããããã è òí, ÷òí ïðè
öèèðíããíëè è ðãçíãããíëè äãííüò ìòããëããíã, ññüëã ìã íòèèããüíúé ñãéò
ïðíãããããã «Æããããã-Éíòãóãã» íãçããããã.

Unique solution ID: #1705

Ííóãããããã: Æãç, ì

Íñëããíëã íãííãããíëã: 2014-03-14 11:59